PRINTED: 07/11/2012 FORM APPROVED

Indiana State Department of Health

		(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER:		(X2) MULTIPLE CONSTRUCTION A. BUILDING		(X3) DATE SURVEY COMPLETED	
		005068		B. WING		01/24/2012	
NAME OF PROVIDER OR SUPPLIER			STREET ADD	RESS, CITY, STA	TE, ZIP CODE	1	
COMMUNITY HOSPITAL EAST			1500 N RITTER AVE INDIANAPOLIS, IN 46219				
(X4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFICIENCIES (EACH DEFICIENCY MUST BE PRECEDED BY FU REGULATORY OR LSC IDENTIFYING INFORMATION			ID PREFIX TAG	(EACH CORRECTIVE ACTION CROSS-REFERENCED TO THE	PROVIDER'S PLAN OF CORRECTION (X (EACH CORRECTIVE ACTION SHOULD BE COMP CROSS-REFERENCED TO THE APPROPRIATE DA DEFICIENCY)	
S 000	00 INITIAL COMMENTS			S 000			
	This visit was for a State complaint survey.						
	Complaint Number: IN00100032 Unsubstantiated; allegation did not occur						
	Survey Date: 1-26-12						
	Facility Number: 005068						
	Surveyor: Jack I. Cohen, MHA Medical Surveyor						
	Community Hospital East was found in compliance with the 410 IAC 15-1.5-2, Infection control and 15-1.5-8, Physical plant, environment and maintenance requirements for licensure rules.						
	QA: claughlin 02/17/	12					

Indiana State Department of Health

TITLE (X6) DATE

LABORATORY DIRECTOR'S OR PROVIDER/SUPPLIER REPRESENTATIVE'S SIGNATURE